



**Bluefield**  
MANUFACTURING INC.

## **SPECIALTY TAPES**

### **REFLECTIVE TAPE**

**PREMIUM QUALITY, COMMERCIAL GRADE.**

Colors: White, Red, Blue, Green, Orange and Yellow

Sizes: 1" x 30', 1" x 150', 2" x 30', 2" x 150', 3" x 150', (4" x 150' Special Order)



### **FLAGGING TAPE**

**High Visibilty Flagging, Surveying Ribbon 1-3/16" x 150' Rolls**

Size: 1-3/16" x 150' Rolls (12/carton or 144/case)

Glow Colors: Orange, Lime, Pink, Blue, Red and Yellow



P.O. Box 1010, 215 Suppliers Road, Bluefield, VA 24605 (800)445-4461 Fax (877)326-2109

[sales@bluefieldmfg.com](mailto:sales@bluefieldmfg.com) [www.bluefieldmfg.com](http://www.bluefieldmfg.com)



**Bluefield**  
MANUFACTURING INC.

## **T727 SUPER-TAC GLASS CLOTH TAPE 3 / 4" x 66' x 8 MIL**



### **Product Applications**

- Durable woven fiberglass backing. Coated with high temperature silicone adhesive provides excellent temperature resistance and is thermally stable.
- Used in flame retardant applications.

### **Specifications**


- 3 / 4" x 66' x 8 mil – White
- Operates at temperature 392° F - 200° C
- 10 rolls per sleeve, 200 rolls per case
- Comparable to 3M Scotch® 69 Glass Cloth Tape



**Bluefield**  
MANUFACTURING INC.

## **T12260 “TEFLON” TAPE** **1 / 2” x 260”**

### **PIPE THREAD SEAL TAPE**



### **Product Applications**

- Designed specifically for thread sealing iron, stainless steel, copper, brass, glass or rubber pipes to ensure leak proof connections.
- Provides chemically, inert, no hardening, non-contaminating permanent seal capable of withstanding temperatures from -375° F to 500°F.

### **Specifications**

- 4 mil – Meets MIL Spec T-27730A
- 1 / 2” x 260” on plastic spool
- White, virgin PTFE (polytetrafluoroethylene)
- 100 rolls per box
- **Comparable to 3M No. 547**



**Bluefield**  
MANUFACTURING INC.

## T724 Copper Shielding Braid



**FOR SHIELDING HIGH  
VOLTAGE SPLICES AND  
TERMINATIONS**

### Product Applications

- Designed specifically for insulation shielding for splices and terminations of shielded cables
- Excellent conformability and easy application by hand

### Specifications

- Standard Sizes
  - 1" Wide x 15' Long** (packed 5 rolls per poly bag)
  - 2" Wide X 10' Long** (packed 5 rolls per poly bag)
- Tinned All-Copper, Knitted Wire Mesh
- Comparable to Plymouth #15 PlyBraid